KEYLESS360

THE PERFECT LOCK

🕑 SIMPLE 🧭 SUSTAINABLE 🧭 SECURE





KEYLESS360 INSTRUCTIONS

USER INSTRUCTIONS



See Demonstration Video

|--|

- 1. Close the door.
- 2. Make sure knob is pointing up to ∆, then set any 2-digit code.
- 3. Turn knob to \triangle .
- 4. Scramble the dials.

TO UNLOCK

- 1. Re-enter your code.
- **2**. Turn the knob up to \triangle .
- 3. Open the door.
- 4. Keeping the knob facing △, scramble the dials for the next user.

MANAGER INSTRUCTIONS



See Demonstration Video

MASTER KEY CODE BYPASS

(immediate manager access without code obstruction)

- 1. Insert the Master Key pointing towards the A.
- 2. Turn the knob to and access the locker, then close the door while keeping the knob facing ∆.
- - *Locker will remain locked and code will remain the same.

USER CODE RETRIEVAL & RESET

(retrieve forgotten user code and reset code for new user)

- 1. Insert the Master Key pointing towards the △ and turn the knob to △.
- 2. With each dial: spin until it stops.
- After setting each dial, the last used code will display.
- 3. Turn the knob back to A and remove the key.
- Then, return the knob to and scramble the dials for the next user.



KEYLESS360 FINISH OPTIONS

Premium and custom finishes have longer lead times; warranty subject to availability. 10% color discrepancy, and custom pricing options apply.



MODEL: KEYLESS360-SN

SATIN NICKEL STANDARD FINISH



MODEL: KEYLESS360-MB

> MATTE BLACK PREMIUM FINISH



MODEL: KEYLESS360-MW

MATTE WHITE PREMIUM FINISH



KEYLESS360 ARCHITECTURAL SPECIFICATIONS



MODEL: **KEYLESS360-SN** SATIN NICKEL

The Keyless360 can be custom finished to any brand style with a wide array of customizable finish options. (All specs and features apply)


SPECIFICATIONS

- Shared (temporary) or assigned (permanent) use
- 2-digit alphanumeric combination · Compatible with wood, glass, plastic,
- phenolic & metal locker doors
- · Zero operating expenses no batteries or wires
- I FED V4 adds 2 | FED credits
- 5-year comprehensive warranty

ADDITIONAL FEATURES

- Sleek and modern design
- Standard, premium & custom finishes
- Large, clear combination digits, double the size of any competitors (5mm tall), that don't fade
- Sufficient digit and dial spacing that prevents accidental lockouts
- Strongest latch (bolt) in the industry and cannot be forced unlocked
- Dead bolt or spring bolt latch type (standard offset: 31mm - addtl available)

LOCK ROUTING



TOP VIEW 6-21mm THICK DOOR

Retrofit Lock"

• Ergonomic non-slip grip

- One Master Key has 3 functions: bypasses the code, resets the lock, and retrieves the code - all conveniently from the front
- cylinder. When Master Key is lost or stolen, new Master Key is issued. Simply insert new Master Key and cylinder is reprogrammed

• Simple 2 screw installation

Standard vertical 3-hole routing

• Easily retrofits from most locks on

most locker doors. "The Ultimate

• One step twist-&-pull operation

Easy 2-screw plug and play


• Surface mounted


• Accommodates doors

1-21mm thickness

- Anti-pick and tamper resistant
- Self-correcting, Breakaway Knob protects against forced entry - patented solution
- IP69K Complete dust and water resistance
- Strong 100% metal for long-term and heavy-use - no plastic components.
- The same lock model with ADA lever available
- Knob rotates 90 degrees (from 12 o'clock to 3 o'clock) on left and right hand locks
- Latch is simply interchangeable to left or right
- Clear locked and unlocked status indicator is visible from a distance
- Immediate live response during business hours - no run around. (sos@keyless.co or 972.331.2770)

TOP VIEW 1-6mm THICK DOOR





ADA OPTION AVAILABLE

(1.9685in) 50mm

Manufactured By:



- Lock features reprogrammable-
- patented solution

KEYLESS360-ADA ARCHITECTURAL SPECIFICATIONS



MODEL: KEYLESS360-SN-ADA SATIN NICKEL The Keyless360 can be custom finished to any brand style with a wide array of customizable finish options. (All specs and features apply)

SPECIFICATIONS

- Meets the 2010 and 2012 Standards for Accessible Design
- The same lock model with ADA lever available
- Integrated lever serving as a pull
- Shared (temporary) or assigned
- (permanent) use
- 2-digit alphanumeric combination Compatible with wood, glass, plastic,
- Compatible with wood, glass, plastic, phenolic & metal locker doors
- Zero operating expenses no batteries or wires


- LEED V4 adds 2 LEED credits
- 5-year comprehensive warranty
- One Master Key has 3 functions: bypasses the code, resets the lock, and retrieves the code - all conveniently from the front
- Lock features reprogrammablecylinder. When Master Key is lost or stolen, new Master Key is issued. Simply insert new Master Key and cylinder is reprogrammed
 patented solution
- Anti-pick and tamper resistantSelf-correcting, Breakaway Knob
- ben-correcting, breakaway kno protects against forced entry
 patented solution
- IP69K Complete dust and water resistance
- Strong 100% metal for long-term and heavy-use no plastic components.
- The same lock model with ADA lever available

ADDITIONAL FEATURES


All additional features of the Keyless1-ADA are exactly the same as the Keyless1 non-ADA.

2010 & 2012 ADA STANDARDS FOR ACCESSIBLE DESIGN REQUIREMENTS

- 5% of lockers and their operable parts, the locks, must meet ADA specifications.
- Locks shall be operable with one hand.
- Shall not require tight grasping, pinching, or twisting of the wrist to operate.
- Shall have a force required to activate of 5lbs (22.2N) maximum.
- Locks shall be installed maximum 48.00"/1220mm from the floor surface.




LOCK ROUTING




(0,1377in) 3.5mm (1,3777in) 35mm (1,2704in) 55mm

TOP VIEW 6-21mm THICK DOOR



TOP VIEW 1-6mm THICK DOOR



Manufactured By:

